

The future of
Fine Laminates.



100%
PURE
PHENOLIC

ABOUT US

Welcome to ARTIS LAMINATE, a premier destination for top-tier laminate solutions across diverse industries. Backed by years of expertise, we stand as a beacon of trust in the market.

Distinguished by our unwavering commitment to excellence and a passion for innovation, we transcend ordinary standards. Our mission is to not just meet but exceed your expectations, delivering laminates that epitomize durability, aesthetics, and functionality.

Experience the epitome of laminate craftsmanship with ARTIS, where your vision comes to life.

100%
PURE
PHENOLIC

Designed Around Your Style

Transform
Everyday
Spaces into
Timeless Interior
Statements.



MARBLE
COLLECTION



WOODEN
COLLECTION



FABRIC
COLLECTION



SOLID
COLLECTION



MARBLE

Every beautiful space starts
with the right surface



9063
ROYAL CALACATTA MARBLE

MARBLE




Designed surfaces for
beautifully crafted spaces

FINE DECOR
DECORATIVE LAMINATES




9061
CLASSIC CREAM MARBLE




9062
GREY FLURRY MARBLE

PREMIUM WOODEN



9037
BRAZILIAN WALNUT



9038
AMBER OAK



*The Art
of Wood finish*

Because every space deserves
the richness and warmth of wood




9051
SPANISH OAK

PREMIUM WOODEN

A premium expression of wood that brings elegance and depth to every space



9052
FINE OAK LIGHT



9053
FINE OAK BROWN




FD 9024
HIGHLAND PINE LIGHT




FD 9026
HIGHLAND PINE DARK

PREMIUM WOODEN

Inspired by nature, perfected with precision, designed for modern living



FD 9030
WALNUT



FD 9031
NAINA TEAK




FD 9025
BAVARIAN BEECH

PREMIUM WOODEN


FABRIC




FD 9033
LIGHT OAK



FD 9032
BURMA TEAK



FD 9035
BROWN WENGE



FD 9095
WEN DARK FABRIC



9097
CREAM LINEN

FABRIC



FD 9080
LIGHT KHADI



FD 9096
CAMBRIC FABRIC



*Texture
with Grace*

A perfect harmony of texture, warmth,
and refined fabric aesthetics



FD 9087
LIGHT FABRIC

FABRIC


Elevate every corner with the luxurious feel of fabric-inspired finishes




FD 9082 | IVORY CAMBRIC




FD 9091 | ELITE KHADI




FD 9090 | GREY KHADI



FD 9089 | CLASSIC FABRIC




FD 9093 | DOT FAB




FD 9094 | BLENDED GREY FABRIC

SOLID



FD 9001 | WHITE



FD 9002 | FROSTY WHITE




9012 | ALMOND




FD 9004 | GREY



9013 | GOTHIC GREY



9011 | COFFEE



FD 9008 | BLACK




TECHNICAL SPECIFICATION

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, VGS	ARTIS LAMINATE CONFORMS	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, VGS	ARTIS LAMINATE CONFORMS
Resistance to surface wear	350 (Revolutions)	✓	350 (Revolutions)	✓
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance	10.0 (Maximum) 11.8 (Maximum) Not worse than 4	✓	7.5 (Maximum) 8.5 (Maximum) Not worse than 4	✓
Resistance to dry heat 180° c	Not worse than 4	✓	Not worse than 4	✓
Dimensional stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.55 (Maximum) 1.025 (Maximum)	✓	0.44 (Maximum) 0.86 (Maximum)	✓
Dimensional stability at 20°C - Longitudinal (%) - Transverse (%)	0.375 (Maximum) 0.60 (Maximum)	✓	0.31 (Maximum) 0.49 (Maximum)	✓
Resistance to impact by small diameter ball	20 N (Minimum)	✓	20 N (Minimum)	✓
Resistance to cracking	Not worse than 4	✓	Not worse than 4	✓
Resistance to scratching	2 N (Minimum)	✓	2 N (Minimum)	✓
Resistance to staining	Not worse than 5	✓	Not worse than 5	✓
Resistance to colour change (wood standards) - In xenon arc light - In enclosed carbon arc light	Not worse than 6 Not worse than 5	✓	Not worse than 6 Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	✓	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓	Should be free from foreign particles	✓

PRODUCT SPECIFICATION:

- PRODUCT** : High pressure decorative laminated sheets
- Size** : 2440 X 1220 mm
- Maintenance** : Clean with mild soap solution or house hold detergent, abrasive cleaners should not be used, it is recommended for vertical use only. Avoid direct sunlight.
- Resistance** : To surface wear, immersion in boiling water, dry heat, impact by small dia. ball, cigarette burns, staining, scratches, color change in xenon light.

- Guaranteed Thickness
- High Quality Back sanding
- The Samples shows in the shade Chart are only indicative of the color patterns and shades available.
- Artis Laminate warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the company is however limited to the cost of the product only.



NO CLAIM WILL BE ENTERTAINED FOR AIR BUBBLES

Cutting a laminate sheet at an angle of 90 degrees leads to development of cracks in corner after pasting. Therefore it is advisable to avoid cutting at an angle of 90 degrees.